




 <b>13</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 01</b> IN10231/0  <b>EN 14351-1:2006+A1:2010</b>  <b>Single casement PVC window with aluminium covering</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C5</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>13</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 06</b> IN10231/1  <b>EN 14351-1:2006+A1:2010</b>  <b>Double casement PVC window with aluminium covering (symmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C5</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	


 <b>13</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 07</b> IN10231/2  <b>EN 14351-1:2006+A1:2010</b>  <b>Double casement PVC window with aluminium covering (asymmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C5</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	


 <b>13</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 08</b> IN10231/3  <b>EN 14351-1:2006+A1:2010</b>  <b>fixed PVC window with aluminium covering</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C5</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	


 <b>13</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 11</b> IN10231/4  <b>EN 14351-1:2006+A1:2010</b>  <b>single casement PVC balcony door with aluminium covering</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C5</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>13</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 12</b> IN10241/5  <b>EN 14351-1:2006+A1:2010</b>  <b>double casement PVC balcony door with aluminium covering (symmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C3</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

\* This value refers to the glazing with  $U_g = 1,1 \text{ W/m}^2\text{K}$ .

 13 <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 13</b> IN10241/6  <b>EN 14351-1:2006+A1:2010</b>  <b>double casement PVC balcony door with aluminium covering (asymmetric)</b> for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C3</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim GmbH Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 14</b> IN10241/7  <b>EN 14351-1:2006+A1:2010</b>  <b>sliding PVC balcony door with aluminium covering (PSK)</b> for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C1/B2</b> Watertightness <b>class - 9A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim GmbH Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>CORONA CT 70 AS TopAlu – 18</b> IN10241/8  <b>EN 14351-1:2006+A1:2010</b>  <b>lifted sliding PVC balcony door with aluminium covering (HEBE)</b> for build in vertical wall openings of the buildings without resistance to fire  Air permeability <b>class - C1/B2</b> Watertightness <b>class - 8A</b> Resistance to wind load <b>class - 4</b> Thermal transmittance $U_w$ <b>1,3 W/m<sup>2</sup> K<sup>*</sup></b>	
notified Body: IFT Rosenheim GmbH Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

\* This value refers to the glazing with  $U_g = 1,1 \text{ W/m}^2 \text{ K}$ .