




 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 01 IN10131/0 EN 14351-1:2006+A1:2010 Single casement PVC window for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,3 W/m² K[*]	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 06 IN10131/1 EN 14351-1:2006+A1:2010 Double casement PVC window (symmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,3 W/m² K[*]	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 07 IN10131/2 EN 14351-1:2006+A1:2010 Double casement PVC window (asymmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,3 W/m² K[*]	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 08 IN10131/3 EN 14351-1:2006+A1:2010 Fixed PVC window for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,3 W/m² K[*]	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 11 IN10131/4 EN 14351-1:2006+A1:2010 single casement PVC balcony door for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,3 W/m² K[*]	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 12 IN10141/5 EN 14351-1:2006+A1:2010 double casement PVC balcony door (symmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,3 W/m² K[*]	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

* This value refers to the glazing with $U_g = 1,1 \text{ W/m}^2\text{K}$.

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 13 IN10141/6 EN 14351-1:2006+A1:2010 double casement PVC balcony door (asymmetric) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C3 class - 9A class - 4 1,3 W/m² K*
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 14 IN10141/7 EN 14351-1:2006+A1:2010 sliding PVC balcony door (PSK) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C1/B2 class - 9A class - 4 1,3 W/m² K*
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
CORONA CT 70 AS – 18 IN10141/8 EN 14351-1:2006+A1:2010 lifted sliding PVC balcony door (HEBE) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C1/B2 class - 8A class - 4 1,3 W/m² K*
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

* This value refers to the glazing with $U_g = 1,1 \text{ W/m}^2 \text{ K}$.