




 <b>19</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
<b>INO-KF Living AS TopAlu – 01</b> IN12331/0  <b>EN 14351-1:2006+A2:2016</b>  <b>Single casement PVC window</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance $U_w$ 1,2 W/m <sup>2</sup> K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 <b>19</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
<b>INO-KF Living AS TopAlu – 06</b> IN12331/1  <b>EN 14351-1:2006+A2:2016</b>  <b>Double casement PVC window (symmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability class - C2/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance $U_w$ 1,2 W/m <sup>2</sup> K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 <b>19</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
<b>INO-KF Living AS TopAlu – 07</b> IN12331/2  <b>EN 14351-1:2006+A2:2016</b>  <b>Double casement PVC window (asymmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability class - C2/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance $U_w$ 1,2 W/m <sup>2</sup> K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 <b>19</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
<b>INO-KF Living AS TopAlu – 08</b> IN12331/3  <b>EN 14351-1:2006+A2:2016</b>  <b>Fixed PVC window</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance $U_w$ 1,2 W/m <sup>2</sup> K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 <b>19</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
<b>INO-KF Living AS TopAlu – 11</b> IN12331/5  <b>EN 14351-1:2006+A2:2016</b>  <b>single casement PVC balcony door</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance $U_w$ 1,2 W/m <sup>2</sup> K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 <b>19</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
<b>INO-KF Living AS TopAlu – 12</b> IN12341/6  <b>EN 14351-1:2006+A2:2016</b>  <b>double casement PVC balcony door (symmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire  Air permeability class - C2/B3 Watertightness class - 8A -9A Resistance to wind load class - 4 Thermal transmittance $U_w$ 1,2 W/m <sup>2</sup> K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

\* This value refers to the glazing with  $U_g = 1,1$  W/m<sup>2</sup>K.



19  
**INLES d.d.**  
 Kolodvorska 22  
 SI-1310 Ribnica  
 SLOVENIJA

**INO-KF Living AS TopAlu – 13**  
 IN12341/8

**EN 14351-1:2006+A2:2016**

**double casement PVC  
 balcony door (asymmetric)**

for build in vertical wall openings of the  
 buildings without resistance to fire

Air permeability **class - C2/B3**  
 Watertightness **class - 8A -9A**  
 Resistance to wind load **class - 4**  
 Thermal transmittance  $U_w$  **1,2 W/m<sup>2</sup>K**\*

notified Body:  
 IFT Rosenheim GmbH Theodor-Gietl Str. 7-9  
 83036 Rosenheim, Germany (NB-Nr. 0757)



19  
**INLES d.d.**  
 Kolodvorska 22  
 SI-1310 Ribnica  
 SLOVENIJA

**INO-KF Living AS TopAlu – 14**  
 IN12341/8

**EN 14351-1:2006+A2:2016**

**sliding PVC balcony door  
 (PSK)**

for build in vertical wall openings of the  
 buildings without resistance to fire

Air permeability **class - C3/B3**  
 Watertightness **class - 9A**  
 Resistance to wind load **class - 4**  
 Thermal transmittance  $U_w$  **1,2 W/m<sup>2</sup>K**\*

notified Body:  
 IFT Rosenheim GmbH Theodor-Gietl Str. 7-9  
 83036 Rosenheim, Germany (NB-Nr. 0757)

\* This value refers to the glazing with  $U_g = 1,1 \text{ W/m}^2\text{K}$ .