




 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 01 IN11331/0 EN 14351-1:2006+A2:2016 Single casement PVC window for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m ² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 06 IN11331/1 EN 14351-1:2006+A2:2016 Double casement PVC window (symmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C2/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m ² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)


 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 07 IN11331/2 EN 14351-1:2006+A2:2016 Double casement PVC window (asymmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C2/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m ² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)


 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 08 IN11331/3 EN 14351-1:2006+A2:2016 Fixed PVC window for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m ² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 11 IN11331/5 EN 14351-1:2006+A2:2016 single casement PVC balcony door for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m ² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 12 IN11341/6 EN 14351-1:2006+A2:2016 double casement PVC balcony door (symmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C2/B3 Watertightness class - 8A -9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m ² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

* This value refers to the glazing with $U_g = 1,1$ W/m²K.

 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 13 IN11341/8 EN 14351-1:2006+A2:2016 double casement PVC balcony door (asymmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C2/B3 Watertightness class - 8A -9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m²K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

 19 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA
INO-KF Living AS – 14 IN11341/8 EN 14351-1:2006+A2:2016 sliding PVC balcony door (PSK) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3/B3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,2 W/m²K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)

* This value refers to the glazing with $U_g = 1,1W/m^2K$.